

# Competency document to support urinary catheter insertion for a male adult patient



# Competency document to support the care of an adult patient requiring urinary catheter insertion.

The practitioner will be able to fully demonstrate the knowledge and skills required for the safe insertion and management of a urinary catheter.

Each practice area has speciality competencies particular to the care of their patients. Urinary catheterisation is considered a speciality competency as it is not carried out in all areas of the Trust.

Working through this competency document will support you in the provision of evidence of your learning and development to become proficient in the performance of male urinary catheterisation.

This competency package is designed for you to provide evidence of continuing competence and ongoing development required for your professional portfolio, revalidation and staff development review. Once the competencies are completed, evidence can be added periodically to demonstrate how you are keeping your skills and knowledge up to date and maintaining your competence.

# Competence

The Nursing and Midwifery Council (NMC, 2015) - The Code requires that you must:

- keep your knowledge and skills up to date
- have the knowledge and skills for safe and effective practice when working without direct supervision
- recognise and work within the limits of your competence
- keep your knowledge and skills up to date throughout your working life
- take part in appropriate learning and practice activities that maintain and develop your competence and improve performance
- complete the necessary training before carrying out a new role
- maintain the knowledge and skills you need for safe and effective practice

The Health and Care Professional Council (HCPC, 2016) - Standards of conduct, performance and ethics for allied health professional (AHP) states that duties as a registrant you must:

- provide (to us and any relevant regulators) any important information about your conduct and competence.
- keep your professional knowledge and skills up to date.



- act within the limits of your knowledge, skills and experience and, if necessary, refer the matter to another practitioner
- effectively supervise tasks that you have asked other people to carry out.

Competence is therefore a combination of skills, knowledge and the ability to apply these principles to practice in diverse situations and circumstances, the evidence you produce as you work through this pack and in the future should reflect this. As skill minus knowledge / understanding / appropriate attitude **does not** equate with competent practice.

# **Assessment of practice**

You should seek support from a practitioner already competent in male urinary catheterisation. The competency assessment framework below should be completed and the chosen assessor should work through all the elements with you until you both deem that you are proficient in male urinary catheterisation.

#### **Reflective Practice**

Continuous Professional Development (HCPC, 2016) and Revalidation (NMC, 2015) are essential elements of lifelong learning. It enables you to review your practice, improve standards of care and maintain your registration. It is expected that you prepare reflective accounts of your learning in practice and identify your future learning needs. Different models of reflection maybe used, one suggested format is from the NMC:

- What was the nature of the CPD activity?
- What did you learn from the development of competence in male catheterisation?
- How did this change or improve your practice as a result?
- How is this relevant to the Code? (NMC, 2015).
- How is this relevant to the Standards? (HCPC, 2016)

You and your assessor should discuss these accounts and develop any action plans required to meet the learning needs identified through the reflective process.

### How will I be assessed?

This document contains competency elements that must be attained in order that you show overall achievement of proficiency. This competency package represents the minimum standard expected for a healthcare worker in the organisation. Completion of these competencies along with your reflective accounts of learning in practice will provide evidence for demonstrating the achievement of the required knowledge and skill framework domains.

The WASP framework has been used to host the required competencies, identifying the process of achievement of proficiency for every skill through measuring competency for each individual element of the skill. It uses the scoring system below to provide a robust assessment of each



element at every stage of learning. All steps may be revisited as necessary until proficiency is achieved and agreed by the assessor. To ensure that staff assess at the same standard, each competency has specific criteria that must be met.

**W**itnessed – Observe or witness the competency prior to being supervised.

Assimilated – Demonstrate sound knowledge base for the competency, evidenced by knowledge of Trust Policies, Nursing & Midwifery Strategy, and professional and legal issues relating to the competency elements. Assimilation of knowledge can be assessed through observation of practice, or through questioning and /or discussion and/or simulation of situations relating to the competency elements.

#### Score is as follows-:

- 1 = Demonstrates fundamental knowledge and understanding of this element of the competency.
- 2 = Demonstrates broad knowledge and understanding
- 3 = Demonstrates an in depth knowledge and understanding of the issues supporting the element of the competency / skill.

**S**upervised – Practice under supervision to demonstrate understanding and competence. Score as follows-:

- 1 = Needs further practice
- 2 = Shows aptitude
- 3 = Demonstrates skilled and professional practice

Understanding and competence as part of "Supervised" can be assessed through observation of practice or through questioning / discussion / simulation of situations relating to the competency if these particular situations have not arisen within the supervisory period. The "Supervision" element of the competency may be continuous observation by the assessor until he or she is confident that skilled, professional practice has been achieved by the candidate, and can be signed off as "Proficient".

Proficient - Competent in both knowledge and skill elements of the competency

Both the "Assimilated" and "Supervised" aspects of the competency can be scored more than once as necessary, and the combination of indepth knowledge and understanding, coupled with skilled professional practice equals proficiency.

On the title page of the WASP framework, it is documented how the competency links to the;

- 1. Knowledge and Skills Framework
- 2. Nursing and Midwifery Strategy Key Performance Indicators
- 3. NMC Code (2015)



- 4. HCPC Standards (2016)
- 5. South Tees Accredited Quality Care Standards (STAQC)

These links have been provided to facilitate understanding of how all of these elements combine to ensure competence, and consequently the high standard of patient care and patient safety that the organisation expects. It is strongly advised that you use the links to help you fulfil your competencies.

The use of the competency framework is designed to highlight areas to help you monitor your progress and identify areas for further development. You will be encouraged and supported to work on these key areas.

On completion, please complete the final meeting form on page 19, getting this signed by your assessor, and send a copy to:

Education and Practice Development Team.
Murray Building
South Tees NHS Foundation Trust
The James Cook University Hospital <u>OR</u>

Email: stees.clinicalskills@nhs.net



# **Male Urinary Catheterisation Competency Document**

Links to Knowledge & Skills Framework: C3, C5, HWB2,		C3, C5, HWB2,	HWB5, HWB7.
	Midwifery Strategy Key	3, 4, 11, 12, 13,	, 16, 17,18, 19, 21.
Performance Indicators			
Links to HCPC Sta		1, 2, 3, 5, 6, 7, 8	8, 9, 10.
Links to the NMC (	,		7, 8, 9, 10, 11, 13, 14, 15, 16, 17,19, 20, 23, 25.
South Tees Accre	dited Quality Care (STAQC)	3, 7, 9A, 11, 12 <i>i</i>	A, 12B, 13, 15, 16.
Competency Standard Statement		nt	The learner will be able to demonstrate knowledge and skills in performing <b>male urinary</b> catheterisation in a safe and competent manner.
	Rationale		To fulfil the requirements for safe and accountable practice in accordance with Trust Policy for the skill of male urinary catheterisation.
w	WITNESSED		Observe or witness the skill – it is considered good practice that the learner will have had the opportunity to observe the procedure prior to being supervised.
A	A ASSIMILATED		Understands the underpinning knowledge associated with each element of the competency:  1 = Demonstrates fundamental knowledge and understanding
			2 = Demonstrates broad knowledge and understanding 3 = Demonstrates in depth knowledge and understanding of the issues supporting the elements of the competency or skill.
S	SUPERVISE	D	Practice under supervision to demonstrate understanding: score as follows:  1 = Needs further practice
			2 = Shows aptitude 3 = Demonstrates skilled and professional practice
Р	PROFICIEN	Т	Competent in both knowledge and skill elements of the competency (level 3).

Competency element	Rationale	w	A Score	<b>S</b> Score	Р
Demonstrate awareness of accountability issues and patient safety regarding catheterisation.	To ensure that practitioner is working within the scope of practice (NMC Code, 2015; HCPC 2016).				
Demonstrate knowledge of the anatomy and physiology of the male urinary tract and psychological issues and incorporating its relevance to the catheterisation procedure.	To minimise patient harm and improve patient experience				
Demonstrate adequate knowledge and understanding of the types of catheterisation as listed below:	To deliver the patient care in an efficient and precise manner depending on their need through effective assessment.				
Demonstrate an understanding of the need for patient consent and the mental capacity act.	To ensure that patient receives adequate information to make an informed choice and gives valid consent. (Policy G38; NMC 2013).				
Demonstrate a thorough understanding of the indications and contraindications for catheterisation.	To decrease unnecessary urinary catheterisation and ensure appropriate selection of urinary catheter. (Policy HIC 21).				
Demonstrate knowledge of the different types and sizes of catheters and drainage bags available and the correct situations for their use.	To aid appropriate assessment for urinary catheterisation. (Policy HIC 21).				
Demonstrate the knowledge in infection control and Standard aseptic non-touch technique (ANTT) in relation to catheterisation, taking note of:  a) Key parts –, Catheter tip, syringe tip etc, b) Key site – the urethral orifice	To reduce the risk of introducing infection into the bladder. (Policies HIC1, HIC 14, HIC19, HIC 21).				



Competency element	Rationale	w	A Score	<b>S</b> Score	Р
Demonstrate an understanding of the possible risks when performing the procedure.	To minimise risk, harm and trauma to the patient. (Policies HIC1, HIC 14, HIC19, HIC 21).				
Demonstrate knowledge and understanding of the care of the catheter to patient and carers appropriately (if indicated)	To ensure patient/carers are aware of measures of infection prevention, signs and symptoms of CAUTI and to access expert help when difficulties arise. NICE 2012, policy HIC 21.				
Pre-procedure					
Wash/gel hands, introduce self: explain procedure to patient.	To ensure the patient fully understands the reason for the procedure and what it involves. To enable the patient make an informed decision (NMC 2013; Policies HIC1;HIC 14; HIC 21;G13).				
Obtain verbal consent <b>or</b> act in the patients' best interests (as appropriate) by following Trust Policy on consent and clearly document in the healthcare records.  Consider chaperone if required.	To ensure the patient understands the procedure and its potential side effects to make an informed decision. (NMC 2015; NMC 2013; Policy G13. Mental capacity act, 2005).				
Check for any allergies e.g. latex or anaesthetic gel. Any previous catheterisation and problems ( <i>if any</i> ).	To reduce risk of anaphylaxis.				
Clean the procedure trolley with disinfectant wipes from top to bottom. Collect all the necessary equipment, ensure it is in date and place on the bottom shelf of a clean trolley.	To minimise risk of contamination (Policy HIC 19).				
Perform the procedure in a clinical treatment room or bed area with appropriate use of screens/curtains.	To ensure the patient's privacy and dignity and improve the patients experience. (NMC, 2015).				



Competency element	Rationale	W	A Score	<b>S</b> Score	Р
Assist patient into the supine position with both legs extended and place disposable pad/bed protector under patient's buttocks/thighs. Ensure that the patient is comfortable.	To ensure ease of access to perform the procedure and ensure abdominal muscles are relaxed.				
Uncover patient but do not over expose them, ensure they are socially clean or assist with a wash to the genital areas and dry prior to conducting procedure.  Assess for signs of abnormality ie discharge and presence of a foreskin	To reduce the risk of contamination and to prevent complication (Policies HIC1, HIC 14, HIC 21).				
Wash hands using soap and water and don disposable plastic apron,	To reduce the risk of transfer of transient micro-organisms on health care worker's hands and uniform (Policies HIC1; HIC 14; HIC 21).				
Procedure					
Wash hands using soap and water, open and drop catheterisation pack on the top shelf of trolley and prepare the sterile field as follows:  • open the pack using ANNT,  • organise contents,  • pour cleaning solution into gallipot and  • drop cathgel onto the sterile field.  Decontaminate hands and wear first pair of sterile gloves	To maintain asepsis and prevent contamination of sterile equipment. (Policies HIC1; HIC 14; HIC 19; HIC 21).				
<ul> <li>Take hold of the penis using a sterile gauze swab and take the following steps:</li> <li>Soak gauze in the cleaning solution</li> <li>clean around the outside of the foreskin (<i>if present</i>)</li> <li>retract foreskin to reveal the glans penis</li> <li>gently clean around the glans and meatus, one swipe at a time</li> <li>repeat the last stage as necessary</li> </ul>	To ensure adequate decontamination of the area and to minimise the risk of introducing infection into the urethral orifice. (Loveday et al 2014)				

Competency element	Rationale	w	A Score	<b>S</b> Score	Р
Using a sterile gauze swab, continue to hold the penis in an upright position, gently insert the nozzle of the lubricating local anaesthetic gel and slowly instil appropriate amount (according to BNF) into the urethra.	To reduce urethral trauma and promote comfort (Bardsley, 2005; Policy HIC 21).				
Apply gentle pressure to the urethra and wait for 3-5 minutes for the anaesthetic gel to take effect.	To prevent urethral trauma (Woodward,2005).				
Discard used gloves, decontaminate hands and prepare for the catheter insertion phase as follows:  • open catheter and safely drop it onto the sterile field  • partially open and have it the drainage bag ready  • decontaminate hands and  • don a second pair of sterile gloves.  • have the solution ready for use,	To maintain aseptic technique and prepare for catheterisation (NICE, 2012).				
Place sterile towel between the legs and over genitals and between legs ensuring the not to contaminate the gloves.	To prevent contamination of the catheter.				
Place the sterile receiver onto the sterile field in in between the patient's legs. Get hold of the catheter expose tip and have the rest resting in the sterile receiver.	To provide a temporary container for urine as it drains.				
Hold the penis in an upright position using another piece of the sterile gauze. Gently insert the catheter into the urethra using ANTT advancing 2 to 3 cm at a time up to the bifurcation (where the catheter balloon valve is located). Observe for urine output.	To ensure the catheter is correctly inserted into the bladder.				



Competency element	Rationale	w	A Score	<b>S</b> Score	Р
Inflate the balloon with the required amount of sterile water using push pause technique. Observes the patient for signs or inform patient to alert you if they feel any discomfort or pain.	To ensure that the catheter is correctly inserted into the bladder				
Gently withdraw the catheter until there is a slight resistance (indicating the balloon is sitting at the neck of the bladder), continue to observe patient's response. Ensure the foreskin, ( <i>if present</i> ) is returned to normal position post procedure,	To facilitate optimal drainage of urine; and to prevent risk of paraphimosis (Dougherty, 2015).				
Attach the appropriate drainage bag to the catheter using ANTT.	To collect the urine voided.				
Secure the catheter with appropriate support, ensuring the catheter does not become taut or stretched when the patient mobilises.  Best practice – Use of catheter fixator. Continued tension on catheters due to heavy unsupported drainage bags can cause pressure necrosis (LeBlanc & Christensen, 2005). Effective support is enhanced by securing tubing to the thigh using a catheter fixator (Getliffe & Dolman, 2007).	To maintain patient comfort and to reduce the risk of urethral trauma and bladder neck damage.				
Ensure the patient is left clean, dry and comfortable, thank patient.	To promote patient comfort and improve the patient's experience.				
Post procedure					
Dispose of clinical waste according to Trust Policy	To prevent environmental contamination. (Policy HS12).				
Position drainage bag below bladder level and above the floor and put the date on back of the bag (leg and urometer).	To ensure that urine output is drained freely and to prevent Intraluminal contamination (Loveday et al 2014). To ensure the collection bag is changed as appropriate.				
Monitor patient's bladder capacity, renal function and fluid balance.	To ensure patient safety and reduce the risk of unrecognised deterioration.				



	Rationale	W	A Score	<b>S</b> Score	Р
eumentation in the  ord , n chart r-measure and record  way s I expiry date chetic blume of fluid inserted	To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).				
NMC or HCPC Number	Staff Member (Signature)				
NMC or HCPC Number	Assessor (Signature)				
	Competency Achieved				Yes/No
		To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).  ord , n chart remeasure and record way selexible thetic plume of fluid inserted hange  NMC or HCPC Number  To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).  Staff Member (Signature)  Assessor (Signature)	To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).  ord , n chartmeasure and record way selexibility and the continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).	To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).  ord , n chart remeasure and record way selection of fluid inserted hange  NMC or HCPC Number  To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).	To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).  ord , n chartmeasure and record way selection of fluid inserted thetic olume of fluid inserted hange  NMC or HCPC Number  To ensure patient safety and continuity of care through written communication and handover. (NICE 2012; NMC 2015; Policy G80).



# Evidence of attainment of competences

Aim: In order to be deemed competent in male catheterisation: staff member must continue to perform catheterisation procedure under strict supervision until deemed competent.

Please note: Both Staff member and assessor must adhered to the Trust urinary catheterisation Policy HIC21

Date	Evidence of learning	Staff member signature	Assessor signature	Remarks

# To be completed by Ward manager

I can confirm that	(Staff member's name) is competent to perform Mal	e catheterisation independently.
Ward Manager's Signature	Staff member's signature	Date



NHS Foundation Trust
Record of Learning & Achievement (ROLA) - Evidence Log Sheets

	Competency element-male urinary catheterisation.  Use these ROLA sheets to keep an ongoing record of your learning and development. Record each attempt at Male urinary catheterisation a upon anything you see as relevant or significant. Where possible use a reflective approach in your entries and
Date	make reference to current evidence to underpin your work.



Competency Element- male urinary catheterisation  Use these ROLA sheets to keep an ongoing record of your learning and development. Record each attempt at Male urinary catheterisation
upon anything you see as relevant or significant. Where possible use a reflective approach in your entries and make reference to current evidence to underpin your work.



**Reflection on Learning in Practice** 

You should now reflect on what you have learnt by completing this competency and identify any future learning needs. Describe the learning activity? How many hours was the session? What have you learnt? How will this influence your practice? What further learning needs has this identified?



# Associated policies and references

# **Hospital Infection Control Policies**

HIC 01 Standard Principles of Infection Control policy

HIC14 Hand hygiene policy

HIC 19 Decontamination policy

HIC 21 Preventing Infections Associated with Short Term Indwelling Urethral Catheters.

#### **General Policies**

G 13 Consent to examination and treatment policy

G 38 Policy and Procedure for the Positive Identification of Patients

G 80 Healthcare Records Standards Policy

# **Health and Safety Policies**

HS12 Waste management policy

Clinical Guideline 5, Urinary catheterisation

#### References

Bardsley, A. (2013) Use of Lubricant gels in urinary catheterisation (updated). Nursing standard, 20 (8): 41-6.

Department of Heath (2006). Essential steps to safe, clean care: reducing Healthcare Associated Infection (Online) <a href="http://webarchive.nationalarchives.gov.uk/+/www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH\_41362">http://webarchive.nationalarchives.gov.uk/+/www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH\_41362</a> (Accessed, 08/07/20201)

Dougherty, L., Lister, S., West-Oram, A. ed (2015) The Royal Manual Manual of Clinical Procedures (9th ed), Wiley Blackwell, London

Fillingham, S. and Douglas, J (2004) Urological Nursing, 3rd edition Bailliere Tindall, London



Getliffe, K. & Dolman, M. (2007). Promoting continence a clinical and research resource, Bailliere Tindall, London

Health and Care Professional Council (2016) Standards of conduct, performance and ethics (online) <a href="https://www.hcpc-uk.org/standards/standards-of-conduct-performance-and-ethics/">https://www.hcpc-uk.org/standards/standards-of-conduct-performance-and-ethics/</a> {Accessed 08/07/2020}

LeBlanc, K. & Christensen, D. (2005). Addressing the challenge of providing nursing care for elderly men suffering from urethral erosion. **Journal of Wound, Ostomy & Continence Nursing**, 32(2): 131-4

Nurses and Midwives Council (2015). The Code: Professional Standards of practice and behaviour for nurses and Midwives, NMC, London

Loveday, H.P., Wilson, J.A., Pratt, R.J., Golsorkhi, M., Tingle, A., Bak, A., Browne, J., Prieto, J., Wilcox, M. (2014). Epic3: National Evidence-Based Guidelines for Preventing Healthcare-Associated Infections in NHS Hospitals in England, **Journal of Hospital Infection** 86S1 (2014) S1–S70

National Institute for Care and Excellence, (2017) Infection Prevention and Control of Healthcare Associated Infections In Primary and Community Care, CG 139. (online) https://www.nice.org.uk/Guidance/CG139[accessed 08/07/2020].

Nursing and Midwifery Council (2013) Determining Capacity to Consent to Treatment (online) <a href="https://www.nursingtimes.net/roles/mental-health-nurses/determining-capacity-to-consent-to-treatment-25-10-2013/">https://www.nursingtimes.net/roles/mental-health-nurses/determining-capacity-to-consent-to-treatment-25-10-2013/</a> [accessed 08/07/2010]

Nurses and Midwifery Council (2015). The Code: Professional Standards of practice and behaviour for nurses and Midwives, NMC, London

South Tees Catheter Working Group (2020) Urinary Catheter Pathway

South Tees NHS Foundation Trust (2020) South Tees accreditation for quality of care (STAQC) Standards

Woodward, S. (2005). Use of lubricant in male urethral catheterisation. **British Journal of Nursing**, 14(19):1022-1023



# Final Meeting: Male Catheterisation

Staff member	s name:		
Ward/Departn	nent:		
Email addres	ss where certificate should	be forwarded:	
Name of Line	Manager:		
Assessors Na	nme:		
Date of works	shop attended://	Course Tutor	
Date of comp	letion:/		
Discussion be	etween ward manager & the st	aff member completi	ng to identify and agree that the
Workshop has	been attended		
•	cy packs has been completed an ry catheterisation	nd the staff member ha	as meet the criteria to carry
The staff mem	ber will carry out this clinical skil	frequently enough to	remain competent.
Comments from	om the assessor:		
Comments from	om the staff member after com	pletion:	
<b>Signatures:</b> Signatures:	Staff members signature		.PIN
	Assessors signature:		PIN
	Assessor print name/designatio	n	
send a copy to stees.clinicals	of this form please retain a copy c kills@nhs.net or Practice Development Team, S		

By whom:

Entered in ESR date: